# CORRECTION Open Access

# Correction: Aidi injection inhibits the migration and invasion of gefitinib-resistant lung adenocarcinoma cells by regulating the PLAT/FAK/AKT pathway

Jingyuan Zhang<sup>1,2</sup>, Siyun Yang<sup>1</sup>, Xiaodong Chen<sup>1</sup>, Fanqin Zhang<sup>1</sup>, Siyu Guo<sup>1</sup>, Chao Wu<sup>1</sup>, Tieshan Wang<sup>3</sup>, Haojia Wang<sup>1</sup>, Shan Lu<sup>1</sup>, Chuanqi Qiao<sup>1</sup>, Xiaoguang Sheng<sup>1</sup>, Shuqi Liu<sup>1</sup>, Xiaomeng Zhang<sup>1\*</sup>, Hua Luo<sup>5\*</sup>, Qinglin Li<sup>4\*</sup> and Jiarui Wu<sup>1\*</sup>

Correction: Chinese Medicine (2025) 20:2 https://doi.org/10.1186/s13020-024-01054-1

Following publication of the original article [1], the authors found that the background color of the histograms in panels C, E and F in Fig. 1 is incomplete.

The original article can be found online at https://doi.org/10.1186/s13020-024-01054-1.

\*Correspondence: Xiaomeng Zhang zhangxm0320@163.com Hua Luo hualuo@um.edu.mo Qinglin Li qinglin200886@126.com Jiarui Wu exoqamy@163.com

<sup>1</sup> Department of Clinical Chinese Pharmacy, School of Chinese Materia Medica, Beijing University of Chinese Medicine, Beijing 102488, China <sup>2</sup> Institute of Chinese Materia Medica, China Academy of Chinese Medical

Institute of Chinese Materia Medica, China Academy of Chinese Medica Sciences, Beijing 100700, China

<sup>3</sup> Beijing Research Institute of Chinese Medicine, Beijing University of Chinese Medicine, Beijing 102488, China


<sup>4</sup> Zhejiang Cancer Hospital, Hangzhou Institute of Medicine (HIM), Chinese Academy of Sciences, Hangzhou 310022, Zhejiang, China <sup>5</sup> Macau Centre for Research and Development in Chinese Medicine, State Key Laboratory of Quality Research in Chinese Medicine, Institute of Chinese Medical Sciences, University of Macau, Macao, People's Republic of China



© The Author(s) 2025. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/loublicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data

Zhang et al. Chinese Medicine (2025) 20:20 Page 2 of 4


## The wrong Fig. 1 was:



**Fig. 1** Aidi injection inhibits the malignant biological behavior of PC9 and PC9GR cells. **A** The inhibition of cell viability on PC9 and PC9GR cells by ADI; **B** the effect of ADI on the formation of PC9 and PC9GR cell colonies; **C** effect of ADI on the positive rate of EDU cells in PC9 and PC9GR cells (50  $\mu$ m); **D** effect of ADI on the wound healing of PC9 and PC9GR cells; **E** effect of ADI on the migration and invasion of PC9 and PC9GR cells (100  $\mu$ m); **F** three-dimensional diagram of the effect of ADI on PC9 and PC9GR cells cycle distribution and effect of ADI on the cell cycle of PC9 and PC9GR cells. \*P < 0.05; \*P < 0.05; \*P < 0.05

Zhang et al. Chinese Medicine (2025) 20:20 Page 3 of 4

# The correct Fig. 1 should be:



**Fig. 1** Aidi injection inhibits the malignant biological behavior of PC9 and PC9GR cells. **A** The inhibition of cell viability on PC9 and PC9GR cells by ADI; **B** the effect of ADI on the formation of PC9 and PC9GR cell colonies; **C** effect of ADI on the positive rate of EDU cells in PC9 and PC9GR cells (50  $\mu$ m); **D** effect of ADI on the wound healing of PC9 and PC9GR cells; **E** effect of ADI on the migration and invasion of PC9 and PC9GR cells (100  $\mu$ m); **F** three-dimensional diagram of the effect of ADI on PC9 and PC9GR cells cycle distribution and effect of ADI on the cell cycle of PC9 and PC9GR cells. \*P < 0.05; \*P < 0.05; \*P < 0.05

Zhang et al. Chinese Medicine (2025) 20:20 Page 4 of 4

# The original article [1] has been updated.

Published online: 10 February 2025

### Reference

 Zhang J, Yang S, Chen X, et al. Aidi injection inhibits the migration and invasion of gefitinib-resistant lung adenocarcinoma cells by regulating the PLAT/FAK/AKT pathway. Chin Med. 2025;20:2. https://doi.org/10. 1186/s13020-024-01054-1.

## **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.